AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Currently Amended) A device comprising:
 - (a) a plurality of conductive probes probe pairs;
 - (b) a control unit coupled to said probes probe pairs; and
 - (e) a power source to supply said control unit with power;

wherein at least one pair of said probes each of said probe pairs is activated when bridged by a conductive liquid to form thus forming a closed circuit, said control unit registers activation of said at least one pair probe pairs and said control unit is adapted designed to actuate at least one pre-determined response, said response being dependent on a the sequence in which the at least one pair is at-least two of said probe pairs are activated.

- 2. (Currently Amended) The device of according the claim 1, wherein said pre-determined response is dependent on a sequence the order in which each of said at least one pair probe pairs is activated or deactivated.
- 3. (Currently Amended) The device of according to claim 1, wherein said control unit and said power source are disposed in one or more liquid impervious housings while exposing said at least one pair conductive probe pairs to the exterior of the device, and wherein said device is adapted for mounting in an enclosure having an opening for receiving said conductive liquid.
- 4. (Currently Amended) The device of according to claim 1, wherein said pre-determined response comprises emitting a sound and the device further comprises a speaker coupled to said control unit to effect said sound.

- 5. (Currently Amended) The device of according to claim 1, wherein said pre-determined response comprises emitting light and the device further comprises a light emitter coupled to said control unit to effect said light.
- 6. (Currently Amended) The device of according to claim 1, wherein said pre-determined response comprises movement and the device further comprises a motor coupled to said control unit to effect said movement.
- 7. (Currently Amended) A toy comprising:
 - (a) a body having a cavity formed therein;
 - (b) at least one aperture in the \underline{body} toy that allows for the movement of \underline{a} conductive liquid from the exterior of said \underline{body} toy into said cavity:
 - (e) a device housed within said cavity having comprising: (i) a plurality of conductive probes probe pairs; (ii) a control unit coupled to said probes probe pairs; and (iii) a power source to supply said control unit with power; wherein at least one pair of said probes each of said probe pairs is activated when bridged by the -a- conductive liquid to form thus forming a closed circuit, said control unit registers activation of said at least one pair probe pairs and said control unit is adapted designed to actuate at least one pre-determined response, said response being dependent on a the sequence in which the at least one pair is at least two of said probe pairs are activated.
- 8. (Currently Amended) The toy of according to claim 7, wherein said predetermined response comprises emitting a sound and the device further comprises a speaker coupled to said control unit to effect said sound.
- 9. (Currently Amended) The toy of according to claim 7, wherein said device forms a physical partition to divide said cavity into first and second compartments and said partition is substantially impervious to liquid.

- 10. (Currently Amended) The toy of according to claim 9, wherein the plurality of conductive probes is probe pairs are disposed within said first compartment and said at least one aperture allows the movement of said conductive liquid from the exterior of said body doll into said first compartment.
- 11. (Currently Amended) The toy of according to claim 10, wherein said predetermined response comprises emitting a sound, the device further comprises a speaker coupled to said control unit to effect said sound, said speaker is disposed within said second compartment and said second compartment further comprises a hole to allow sound from the speaker to escape.
- 12. (Currently Amended) The toy of according to claim 7, wherein said toy is a doll.
- 13. (Currently Amended) A device comprising:
 - (a) a at least one conduit having an comprising at least one opening at each of first and second ends for receiving a conductive liquid;
 - (b) a plurality of conductive probes probe pairs disposed within said conduit;
 - (e) a control unit coupled to said probes probe pairs; and
 - (d) a power source to supply said control unit with power; wherein at least one pair of said probes each of said probe pairs is activated when bridged by said -a conductive liquid to form thus forming a closed circuit, said control unit registers activation of said at least one pair probe pairs and said control unit is adapted designed to actuate at least one pre-determined response, said response being dependent on a the sequence in which the at least one pair is at least two of said probe pairs are activated.
- 14. (Currently Amended) The device of according the claim 13, wherein said pre-determined response is dependent on a sequence the order in which each of said at least one pair probe pairs is activated or deactivated.
- 15. (Currently Amended) The device of according claim 13, wherein said conduit further comprises a at least one reservoir that further comprises disposed between said first and second

ends for storing said conductive liquid, a valve disposed between said reservoir and said second end to empty said reservoir, and a section coupled between said reservoir and said second end for providing an alternate path for said conductive liquid.

- 16. (Currently Amended) The device of according to claim 13, wherein said control unit and said power source are disposed in one or more liquid impervious housings.
- 17. (Currently Amended) The device of according to claim 13, wherein said pre-determined response comprises emitting a sound and the device further comprises a speaker coupled to said control unit to effect said sound.
- 18. (Currently Amended) The device of according to claim 13, wherein said pre-determined response comprises emitting light and the device further comprises a light emitter coupled to said control unit to effect said light.
- 19. (Currently Amended) The device of according to claim 13, wherein said pre-determined response comprises movement and the device further comprises a motor coupled to said control unit to effect said movement.
- 20. (Currently Amended) A toy comprising:
 - (a) a body having a cavity formed therein;
 - (b) <u>first and second apertures</u> at least one aperture in the <u>body</u> associated with said cavity;
 - (e) a device housed within said cavity having comprising: (i) a at least one conduit for receiving a conductive liquid comprising at least one opening, each opening disposed between said first and second apertures in a said aperture; (ii) a plurality of conductive probes probe pairs disposed within said conduit; (iii) a control unit coupled to said probes probe pairs; and (iv) a power source to supply said control unit with power; wherein at least one pair of said probes each of said probe pairs is activated when bridged by said -a- conductive liquid to form thus forming a closed circuit, said control unit registers activation of said at least one pair probe pairs and said control unit is

adapted designed to actuate at least one pre-determined response, said response being dependent on <u>a</u> the sequence in which the at least one pair is at least two of said probe pairs are activated.

- 21. (Currently Amended) The toy of according to claim 20, wherein said pre-determined response comprises emitting a sound and the device further comprises a speaker coupled to said control unit to effect said sound.
- 22. (Currently Amended) The toy of according to claim 20, wherein said device forms a physical partition to divide said cavity into first and second compartments and said partition is substantially impervious to liquid.
- 23. (Currently Amended) The toy of according to claim 22, wherein said pre-determined response comprises emitting a sound, the device further comprises a speaker coupled to said control unit to effect said sound, said speaker is disposed within said second compartment and said second compartment further comprises a hole to allow sound from the speaker to escape.
- 24. (Currently Amended) The toy of according to claim 20, wherein said toy is a doll.